Capacity







(NAE) Napco E-Access Adv. Feature / Item (CAE) E-Access by Cont. Feature / Item (NAE) Napco E-Access License Dealer Key - 1, 2, 4 door models premium feature sets (antipassback, Model's Available Model's Available 1, 2 and 4 door Models Software Upgrade custom reports, higher capacities) **OEM Key / Channel OEM Key / Channel** Napco / Distribution Napco / Distribution Continental / Direct ETL / UL294 **ETL / UL294** Yes Yes Yes Server / Client - 1 Door Server / Client / elevator - 1 Door, 2 & 4-**Module Configuration Module Configuration** Module, 2-Door & 4-Door NEA plus 1 Cab 8 Floors Elevator [includes inputs/outputs] Door Controllers, 1 Cab 8 Floors Elevator [includes inputs/outputs] Module 256 Bit Encryption (User 257 Bit Encryption (User 256 Bit Encryption (User database and **System Integrity System Integrity** database and Event) / SSL / database and Event) / SSL / Event) / SSL / HTTPS **HTTPS HTTPS SSL Certificate Placement** Yes SSL Certificate Placement Yes Yes English, Spanish, French, English, Spanish, French, option option available for other Language English, Spanish, French Language available for other languages languages Language Log on by user Yes Language Log on by user Yes **Mobile Management App** Yes **Mobile Management App** Yes HTML 5 -Integrated Webserver - Mobile HTML 5 -Integrated Webserver - Mobile Friendly - PC / Tablet / Friendly - PC / Tablet / Phone (No Applet User Interface User Interface Phone (No Applet required / Full system) required / Full system) **Removeable SD Storage Removeable SD Storage** 16 GB SD Yes Yes Yes - corporate LU 128 doors and 63 Yes - Professional 128 doors **Door Upgrade Option Door Upgrade Option** clients and 63 clients Reader License per system 32 in / 32 out readers - Expandable to 128 Reader License per system 16 in / 16 Out 128 in / 128 out readers (Standard) in and 128 out (Standard) Modules - Sites per system Modules - Sites per system Max is 64 in this hardware Max is 64 in this hardware platform 16 [excludes elevator modules] [excludes elevator modules] platform Yes \*Photo's and Offline events are on SD **Module Replacement Utility Module Replacement Utility** Yes Yes Varies by model: 2 Relays, 2 Inputs, 2 Varies by model: 2 Relays, 2 Inputs, 2 wiegand ports (In/Out) per **Outputs Per board Outputs Per Board** wiegand ports (In/Out) per door door **Standard Output Max Standard Output Max** 256 36 256

Capacity







Feature / Item (CAE) E-Access by Cont. Feature / Item (NAE) Napco E-Access (NAE) Napco E-Access Adv. License

	<u> </u>		1	
Outputs Times	Hours, Min, Sec., by set time, delay output and or repeat Qty.	Outputs Times	Hours, Min, Sec., by set time and or repeat Qty.	
e-Mail Alert / Notification	Yes	e-Mail Alert / Notification	Yes	Yes
Inputs per board	3 Digital inputs per door plus 2 Pre- assigned (Tamper, Power Supervision)	Inputs per board	3 Digital inputs per door plus 2 Pre-assigned (Tamper, Power Supervision)	
Input types	NO Parallel Resistor, NO Series Resistor, NO Unsupervised, NC Parallel Resistor, NC Series Resistor, NC Unsupervised	Input types	NO Parallel Resistor, NO Series Resistor, NO Unsupervised, NC Parallel Resistor, NC Series Resistor, NC Unsupervised	
Standard Max Input Capacity	384	Standard Max Input Capacity	48	384
Virtual Inputs	Yes / API	Virtual Inputs		API - Option
Predefined Door Configuration	Lock, Propped (Output) REX, Door Position (Input)	Predefined Door Configuration	Lock, Propped (Output) REX, Door Position (Input)	
REX, DSM - On / Off	Yes	REX, DSM - On / Off	Yes	
Aux Outputs Option	Assignable - Timed, Forced, Shunt with or without DPS	Aux Outputs Option	Assignable - Timed, Forced, Shunt with or without DPS	
Power (per board)	Varies by model	Power (per board)	Varies by model	
Battery Charging	1 / 7AH Battery - 2 and 4 Door Models	Battery Charging	1 / 7AH Battery - 2 and 4 Door Models	
Total System Access Levels	512	<b>Total System Access Levels</b>	25	125
Users per system	15,000	Users per system	1,000	5,000
User Photos	15,000	User Photos	0	5,000
Access cards	120,000	Access cards	32,000	120,000
Cards per person	32	Cards per person	12	32
Binary Card Decoder	Yes	Binary Card Decoder	Yes	
Wiegand Format Lengths	64 bit	Wiegand Format Lengths	64 bit	64 bit
Mobile Credential	Yes	Mobile Credentials	Option - 1 Time Fee	
User-defined fields	20 user fields	User-defined fields	5 user fields	10 user fields
Integrated Flat File Database Import Tool	Yes	Integrated Flat File Database Import Tool	Yes	
Day Light Savings Time "DST"	Automatic, Editable dates if future requirement	Day Light Savings Time "DST"	Automatic, Editable dates if future requirement	
SMTP	On / Off Manual, PC Sync	SMTP	On / Off Manual, PC Sync	On / Off Manual, PC Sync
Client Time Zone Configuration	Yes	Client Time Zone Configuration	Yes	







Feature / Item	(CAE) E-Access by Cont.	Feature / Item	(NAE) Napco E-Access	(NAE) Napco E-Access Adv. License
			T	
Time specifications (Schedules)	250	Time specifications (Schedules)	25	125
Access level groups	64	Access level groups	10	32
Holidays / Holiday Groups	Yes / 4 Groups	Holidays / Holiday Groups	Yes / 4 Groups	
Online event history log	50,000 FIFO	Online event history log	15,000 FIFO	30,000 FIFO
Transaction Types	Action of any type, Administrator Change Logging "Audit", and System Diagnostic Events.	Transaction Types	Log, Audit, and System	
Archive for transactions	Manual, Automatic daily, Automatic by 90% full	Archive for transactions	Manual, Automatic, Automatic by 90% full	
Long Term Database and Log Storage	Internal memory, SD Micro, FTP	Transaction Storage	Internal memory, SD Micro, FTP	
Archive for system configuration files	Manual, Automatic daily	Archive for system configuration files	Manual Automatic daily	
Administration / User Roles	Super Admin, Super User, User (pre- configured), View Only (pre-configured), Customizable Users	Administration / User Roles	Yes Pre-defined	Yes - Configurable
Maximum concurrent web users	25	Concurrent web users	5	10
Off Site Connection (Cloud Management)	Option - 1 Time Fee	Remote Management Connection	Option - One Time Fee	
API / SDK	Restful - Option - 1 Time Fee	API / SDK	Option - One Time Fee	
Log API	Push Events to Central Station	Log API	N/A	Push Events to Central Station - Option - 1 Time Fee
User Interface Features		User Interface Features		
System Fully Web Controllable	Yes, HTML5	System Fully Web Controllable	Yes	Yes
Action Icons	Door Unlock, Toggle, Elevator, Aux outputs, Live Camera View	Action Buttons	Door Unlock, Toggle, Aux outputs, Live Camera View	Door Unlock, Toggle, Elevator, Aux outputs, Live Camera View
Graphic Floor Plans	Yes (JPG, bmp, PNG) 150KB Max	Graphic Floor Plans	No	(JPG, bmp, PNG) 150KB Max
Floor Plan Active Icons	Yes	Floor Plan Active Icons	No	Locks, Inputs, Outputs, Elevators
Icon Options	Locks, Inputs, Outputs, Elevators	Icon Options		Locks, Inputs, Outputs, Elevators
Alarm Acknologment	Yes -Color Un-acknowledged	Alarm Acknowledgement	No	Yes -Color Un-acknowledged
Logo Placement	Yes	Logo Placement	Yes	







Feature / Item (CAE) E-Access by Cont. Feature / Item (NAE) Napco E-Access License

Search and Report Options		Search and Report		
Search and Report Options		Search and Report		
Wild Card Search n*, *n, *n*, etc.	Yes	Wild Card Search *	Yes	
Predefined Event, Audit, System Configuration Reports	Yes	Predefined Event, Audit, System Reports	Yes	
Advanced Custom Report Writer - Wizard utility for creation of custom reports. Reports may be saved and applied to user roles.	Yes	Advanced Custom Report Writer - Wizard utility for creation of custom reports. Reports may be saved and applied to user roles.	N/A	N/A
Custom Reports by user role	Yes	Custom Reports by user role	N/A	N/A
Output Options - Column position, title, width, sort order	Yes	Output Options - Column position, title, width, sort order	N/A	N/A
Report Output Types	TXT, CSV, HTML, PDF Print type option	Report Output Types	TXT, CSV, HTML, PDF Print type option	
Card Types / Options		Card Types / Options		
Timed / Door Position	Yes	Timed / Door Position	Yes	
First Auto-Unlock with Grace	Yes - applied to Card Holders or 3 Card Holder Groups	First Auto-Unlock with Grace	Yes	
Facility Code Only	Yes	Facility Code Only	Yes	
Assignable Relay	Yes	Assignable Relay	Yes	
Auto unlock Override	Yes	Auto unlock Override	Yes	
Passage / Extended Time / Latch	Yes	Passage / Extended Time / Latch	Yes	
Toggle	Yes	Toggle	No	Yes
Manager In	Yes - applied to 3 access levels	Manager In	No	Yes
Two Man	Yes	Two Man	No	Yes
One time	Yes	One Time Code	No	Yes
Guard Tour	Yes	Guard Tour	No	No
1 Time Use / 24 Hour	Yes	1 Time Use / 24 Hour	No	Yes
Deadman Check In	Yes	Deadman Check In	No	Yes
Exempt Antipassback	Yes	Exempt Antipassback	No	No
Hazmat / Lockdown	Yes	Hazmat / Lockdown	No	No

In / Out Door - Timed

Timed / Not Forgiven /

Override required

**Forgiven** 



By Door or Region

By Door



N/A

N/A



By Door or Region

Υ

(NAE) Napco E-Access Adv. Feature / Item (CAE) E-Access by Cont. Feature / Item (NAE) Napco E-Access License **Burglar API Integration Burglar API Integration Gemini IBR Z Remote** Gemini IBR Z Remote Yes Yes Integration Integration Disarm 1X / Arm 2X Yes Disarm 1X / Arm 2X Yes **Burglar Event Log** Yes **Burglar Event Log** Yes **Analog Burglar Alarm Analog Burglar Alarm** Yes Yes Management Management **Scheduled Events** Scheduled Events - Door and Scheduled Events - Door 150 Combined Door and Aux N/A 50 **Aux Control** and Aux Control Relock Schedules Yes **Relock Schedules** N/A Yes **Event Actions by Schedule** Reader Event, Input, Door Output Status, Reader Event, Input, Door **Event Action Input Event Action Input** N/A System Event Output Status, System Event Outputs, Message Dashboard, Outputs, Message Dashboard, eMail, eMail, Back up SD / FTP, Threat **Event Action Output Event Action Output** N/A Back up SD / FTP, Threat level, Video tag level, Video tag Photo ID Photo Pop up (import JPG) Yes Photo Pop up (import JPG) N/A Υ Live video pop-up with Live video pop-up with Only with IP camera N/A Y / Requires video photo verification photo verification Alarm acknowledgment Yes. dashboard Alarm acknowledgment N/A Υ Threat level management Threat level management Alters access control Alters system behavior N/A Yes Yes globally behavior globally Threat levels (quantity of **Threat levels** 25 N/A 5 levels) **Hazmat Region** Yes **Hazmat Region** N/A N/A **REX Threat Level Override REX Threat Level Override** N/A Yes Yes Anti-Passback **Door Control** Timed By Door **Anti-Passback Timed** N/A By Door

In / Out Door - Timed

Timed / Not Forgiven /

Override required

Forgiven







Feature / Item	(CAE) E-Access by Cont.	Feature / Item	(NAE) Napco E-Access	(NAE) Napco E-Access Adv. License
				ı
Regional	Yes	Regional	N/A	Υ
Sequence	Yes	Sequence	N/A	Υ
Reset Time assigned for a region	Yes	Reset Time assigned for a region	N/A	N/A
Tailgate violation by region	Yes	Tailgate violation by region	N/A	N/A
Muster / Roll call	Yes	Muster / Roll call	N/A	N/A
Occupancy Limit				
# of card holders allow in	Yes by controller	# of card holders allow in	N/A	Yes by controller
User Occupancy	By Door	User Occupancy	N/A	Υ
Man Trap				
Man trap	Yes	Man Trap	No	Yes
Elevator Control		Elevator Control		
Elevator Cab	12 elevator cabs	Elevator Cab	No	5 cabs
Elevator Floors	96 floors per cab	Elevator Floors	N/A	40 floors - Min One elevator module required cab
Sites				
Assigned to Sites User Roles	Option	Assigned to Sites User Roles	N/A	N/A
Video Management System Capabilites		Video Management System Capabilites		
Thumbdrive Storage	Yes, Option - Requires IP Camera	Thumbdrive	Yes / Option	
NVR Integration	Yes - DW Spectrum and Ganz	NVR Integration	Yes - DW Spectrum	Yes - DW Spectrum
Camera POP Up Live Desk Top	Yes, popup image in sidebar	Camera POP Up Live Desk Top	No	Yes, Requires IP Camera
Recall of photo ID and real- time image for comparison.	Yes	Recall photo vs real-time video for comparison.	No	Yes
Max # of cameras per view	16	Max # of cameras per view	16	16
Max # of NVR's	60	Max # of NVR's	2	8
Video Tagging and Forensic	Yes	Video Tagging and Forensic	Requires Video Option	Requires Video Option
Retrieval		Retrieval		
Note: Feature Sets are subject to change.		Note: Feature Sets are subject to change.		