

Certificate of Compliance

Certificate Number:

S2576

Report Reference:

S2576-20150410

Issue Date:

2024-02-23

Napco Security Technologies Inc 333 BAYVIEW AVE AMITYVILLE NY, 11701 United States

This certificate confirms that representative samples of:

CONTROL UNIT ACCESSORIES, SYSTEM; PROPRIETARY ALARM UNITS

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 985, Household Fire Warning System Units UL 1023, Household Burglar-Alarm System Units UL 2610, Commercial Premises Security Alarm Units and Systems

UL 864, Control Units and Accessories for Fire Alarm Systems

Additional Information:

See UL Product iQ[®] at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



UL Mark Certification Program Manager



Certificate number \$2576

Report reference \$2576-20150410

Date 2024-02-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Alarm and Security Equipment:

Communicators, Models SLE3/4G-CB, SLE3/4G-CB-TF, SLE3/4G-CFB, SLE3/4G-CFB-PS, SLE-CDMA, SLE-CDMA-8D, SLE-CDMA-FIRE, SLE-GSM-3/4G, SLE-GSM-8D-3/4G, SLE-GSM-FIRE, SLECDMA-CB, SLECDMA-CB-TF, SLECDMA-CFB, SLECDMA-CFB-PS. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Dual Path Communicators, Models SLECDMAI-CFB-PS, SLE3/4GI-CFB-PS, SLECDMAI-CB-TF, SLE3/4GI-CB-TF
SLECDMAI-CFB, SLE3/4GI-CFB, SLECDMAI-CB, SLE3/4GI-CB
SLE-GSMI-3/4G, SLE-CDMAI, SLE-GSMI-FIRE, SLE-CDMAI-FIRE
Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Fire Alarm and Security Equipment

Communicators, Models SLE-LTEV-FIRE, SLE-LTEV-8D, SLE-LTEV, SLE-LTEV-CFB-PS, SLE-LTEV-CB-TF, SLE-LTEV-CFB, and SLE-LTEV-CB. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Communicators, Models SLE-LTEA-FIRE, SLE-LTEA-8D, SLE-LTEA, SLE-LTEA-CFB-PS, SLE-LTEA-CB-TF, SLE-LTEA-CFB, and SLE-LTEA-CB. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Dual Path Communicators, Models SLE-LTEVI-CFBPS, SLE-LTEVI-CFB, SLE-LTEVI-FIRE, SLE-MAXVI-CFBPS, SLE-MAXVI-CFB, SLE-MAXVI-FIRE. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Dual Path Communicators, Models SLE-LTEAI-CFBPS, SLE-LTEAI-CFB, SLE-LTEAI-FIRE, SLE-MAXAI-CFBPS, SLE-MAXAI-CFB, SLE-MAXAI-FIRE. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Dual Path Communicators, Models SLE-FNI-CFB-PS, SLE-FNI-CFB, SLE-FNI-FIRE. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Fire Alarm and Security Subassemblies:

David Piecuch

UL Mark Certification Program Manager



Certificate number \$2576

Report reference \$2576-20150410

Date 2024-02-23

Model SLE-ULPS-R power supply/charger. Model SLE-WiFi-Module

Fire Alarm Subassemblies:

Models 9SLECDMAIPSLD, 9SLEGSMDPPSLD, 9LTE24PSLD, 9SLELTEVIPSLD, 9LTEA24PSLD, 9SLEDPLTEA2PSLD and 9SLELTECMQPSLD.

Model SLE-FIRE-VR - In-line Diode.

Fire Alarm and Security Equipment:

Dual Path Communicators, Models SLE-LTEV-CB-C, SLE-LTEV-CBTF-C, SLE-LTEV-C and SLE-LTEV-Z. Models SLE-MAXV-CBTF-C, SLE-MAXV-C, SLE-MAXV-Z, SLE-MAXA-CBTF-C, SLE-MAXA-C and SLE-MAXA-Z, SLE-MAXV, SLE-MAXV-CB-TF, SLE-MAXV-CB, SLE-MAXA, SLE-MAXA-CB-TF, SLE-MAXA-CB. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

SLE-ZWave Mod

EOL10K end of line resistor.

Fire Alarm and Security Equipment:

Sole / Dual Path Communicators, Models SLE-MAX2-CFBPS, SLE-MAX2-CFB, SLE-MAX2-FIRE. Model numbers may be followed by an alpha/numeric suffix for marketing purposes.

Fire Alarm Subassemblies:

Model 9SLEDPRDMX2PSLD



UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-US-L2576-3267181-01405102-1

Report Reference:

S2576-20150410

Issue Date:

2024-02-23

Issued to:

Napco Security Technologies Inc 333 BAYVIEW AVE AMITYVILLE, NY 11701 United States

This certificate confirms that representative samples of:

NBSX - Household Burglar Alarm System Units

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 1023, 7th Ed, Issue Date: 2017-9-1, Revision Date: 2021-5-20

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Manager

Certificate number UL-US-L2576-3267181-01405102-1

Report reference \$2576-20150410

Date 2024-02-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
SLE-CDMA	Communicators
SLE-CDMA-8D	Communicators
SLE-CDMA-FIRE	Communicators
SLE-CDMAI	Communicators
SLE-CDMAI-FIRE	Communicators
SLE-FNI-CFB	Communicators
SLE-FNI-CFB-PS	Communicators
SLE-FNI-FIRE	Communicators
SLE-GSM-3/4G	Communicators
SLE-GSM-8D-3/4G	Communicators
SLE-GSM-FIRE	Communicators
SLE-GSMI-3/4G	Communicators
SLE-GSMI-FIRE	Communicators
SLE-LTEA	Communicators
SLE-LTEA-8D	Communicators
SLE-LTEA-CB	Communicators
SLE-LTEA-CB-TF	Communicators
SLE-LTEA-CFB	Communicators
SLE-LTEA-CFB-PS	Communicators
SLE-LTEA-FIRE	Communicators
SLE-LTEAI-CFB	Communicators
SLE-LTEAI-CFBPS	Communicators
SLE-LTEAI-FIRE	Communicators
SLE-LTEV	Communicators
SLE-LTEV-8D	Communicators
SLE-LTEV-CB	Communicators
SLE-LTEV-CB-TF	Communicators
SLE-LTEV-CFB	Communicators
SLE-LTEV-CFB-PS	Communicators
SLE-LTEV-FIRE	Communicators
SLE-LTEVI-CFB	Communicators
SLE-LTEVI-CFBPS	Communicators
SLE-LTEVI-FIRE	Communicators
StarLink, SLE-MAX2-CFB	Communicator
StarLink, SLE-MAX2-CFBPS	Communicator
StarLink, SLE-MAX2-FIRE	Communicator

David Piecuch

UL Mark Certification Program Manager



Certificate number UL-US-L2576-3267181-01405102-1


Report reference S2576-20150410

> Date 2024-02-23

SLE-MAXA	Communicators
SLE-MAXA-CB	Communicators
SLE-MAXA-CB-TF	Communicators
SLE-MAXA-Z	Communicators
SLE-MAXAI-CFB	Communicators
SLE-MAXAI-CFBPS	Communicators
SLE-MAXAI-FIRE	Communicators
SLE-MAXV	Communicators
SLE-MAXV-CB	Communicators
SLE-MAXV-CB-TF	Communicators
SLE-MAXVI-CFB	Communicators
SLE-MAXVI-CFBPS	Communicators
SLE-MAXVI-FIRE	Communicators
SLE-ULPS-R power supply module	Communicator subassemblies
SLE-WiFi-Module	Communicator subassemblies
SLE3/4G-CB	Communicators
SLE3/4G-CB-TF	Communicators
SLE3/4G-CFB	Communicators
SLE3/4G-CFB-PS	Communicators
SLE3/4GI-CB	Communicators
SLE3/4GI-CB-TF	Communicators
SLE3/4GI-CFB	Communicators
SLE3/4GI-CFB-PS	Communicators
SLECDMA-CB	Communicators
SLECDMA-CB-TF	Communicators
SLECDMA-CFB	Communicators
SLECDMA-CFB-PS	Communicators
SLECDMAI-CB	Communicators
SLECDMAI-CB-TF	Communicators
SLECDMAI-CFB	Communicators
SLECDMAI-CFB-PS	Communicators



UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-US-L2576-3267181-01405102-3

Report Reference:

S2576-20150410

Issue Date:

2024-08-05

Issued to:

Napco Security Technologies Inc 333 BAYVIEW AVE AMITYVILLE, NY 11701 United States

This certificate confirms that representative samples of:

NBSX - Household Burglar Alarm System Units

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 1023, 7th Ed, Issue Date: 2017-9-1, Revision Date: 2021-5-20

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Manager

Certificate number UL-US-L2576-3267181-01405102-3

Report reference \$2576-20150410

Date 2024-08-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
SLE-CDMA	Communicators
SLE-CDMA-8D	Communicators
SLE-CDMA-FIRE	Communicators
SLE-CDMAI	Communicators
SLE-CDMAI-FIRE	Communicators
SLE-FNI-CFB	Communicators
SLE-FNI-CFB-PS	Communicators
SLE-FNI-FIRE	Communicators
SLE-GSM-3/4G	Communicators
SLE-GSM-8D-3/4G	Communicators
SLE-GSM-FIRE	Communicators
SLE-GSMI-3/4G	Communicators
SLE-GSMI-FIRE	Communicators
SLE-LTEA	Communicators
SLE-LTEA-8D	Communicators
SLE-LTEA-CB	Communicators
SLE-LTEA-CB-TF	Communicators
SLE-LTEA-CFB	Communicators
SLE-LTEA-CFB-PS	Communicators
SLE-LTEA-FIRE	Communicators
SLE-LTEAI-CFB	Communicators
SLE-LTEAI-CFBPS	Communicators
SLE-LTEAI-FIRE	Communicators
SLE-LTEV	Communicators
SLE-LTEV-8D	Communicators
SLE-LTEV-CB	Communicators
SLE-LTEV-CB-TF	Communicators
SLE-LTEV-CFB	Communicators
SLE-LTEV-CFB-PS	Communicators
SLE-LTEV-FIRE	Communicators
SLE-LTEVI-CFB	Communicators
SLE-LTEVI-CFBPS	Communicators
SLE-LTEVI-FIRE	Communicators
StarLink, SLE-MAX2-CFB	Sole / Dual Path Communicators / Dual Carrier Supervision

David Piecuch

UL Mark Certification Program Manager



Certificate number UL-US-L2576-3267181-01405102-3

Report reference \$2576-20150410

Date \$2024-08-05

StarLink, SLE-MAX2-CFBPS	Sole / Dual Path Communicators / Dual Carrier Supervision
StarLink, SLE-MAX2-FIRE	Sole / Dual Path Communicators / Dual Carrier Supervision
SLE-MAXA	Communicators
SLE-MAXA-CB	Communicators
SLE-MAXA-CB-TF	Communicators
SLE-MAXA-Z	Communicators
SLE-MAXAI-CFB	Communicators
SLE-MAXAI-CFBPS	Communicators
SLE-MAXAI-FIRE	Communicators
SLE-MAXV	Communicators
SLE-MAXV-CB	Communicators
SLE-MAXV-CB-TF	Communicators
SLE-MAXVI-CFB	Communicators
SLE-MAXVI-CFBPS	Communicators
SLE-MAXVI-FIRE	Communicators
SLE-ULPS-R power supply module	Communicator subassemblies
SLE-WiFi-Module	Communicator subassemblies
SLE3/4G-CB	Communicators
SLE3/4G-CB-TF	Communicators
SLE3/4G-CFB	Communicators
SLE3/4G-CFB-PS	Communicators
SLE3/4GI-CB	Communicators
SLE3/4GI-CB-TF	Communicators
SLE3/4GI-CFB	Communicators
SLE3/4GI-CFB-PS	Communicators
SLECDMA-CB	Communicators
SLECDMA-CB-TF	Communicators
SLECDMA-CFB	Communicators
SLECDMA-CFB-PS	Communicators
SLECDMAI-CB	Communicators
SLECDMAI-CB-TF	Communicators
SLECDMAI-CFB	Communicators
SLECDMAI-CFB-PS	Communicators



UL Mark Certification Program Manager



